Y | S H E L F[™]

BORN TO LIBERATE SHOWER CULTURE







by Neelnox

$\mathbf{Y} \mid \mathbf{S} \mathbf{H} \mathbf{E} \mathbf{L} \mathbf{F}^{\mathsf{T}}$

by Neelnox

CONTENTS

4	About
8	The Art of Organizing
10	The Features
12	Series Origin
30	Series Origin Specs
48	Series 100
54	Series 100 Specs
60	Series 200
62	Series 200 Specs
64	Series 300
66	Series 300 Specs

THE STORY

...the story of the YISHELF[™] begins with another Why. Why doesn't there exist a niche which has no grout lines. Why doesn't there exist a niche where there are no worries about waterproofing. Why should shampoo bottles which exist just to serve us be kept in boring places. Why should the shelf be just utilitarian. Why isn't there something for the design centric shower aficionado...and we could go on with the Why's for a while. But why do that (pun intented). Hence the YISHELF[™]. Born out of questioning the status quo. Born to liberate mankind and their shampoo bottles from all kinds of boredom. The YISHELF[™]. Do you have the walls to wear it?™

"How do you design a shelf that blends in, & stands out."

THE CREATION OF SPACE



$Y | S H E L F^{TM}$

The YISHELF[™] by Neelnox creates a sensational focal point in a shower. With sleek lines and succinct angular corners, this shelf is more than just a shelf, it is an unparalleled architectural statement. The distinctive modern design adds a striking contemporary flair to your bathroom. The tight corners give you maximum storage space for your shampoo bottles. The sloped bottom makes sure the water drains. The series is hand crafted from premium 304 grade stainless steel. The option of tiling the back opens a world of design possibilities ranging from transitional to traditional.

"We set out to make a shelf, ended up redefining the spatial aesthetics of an entire area."







"THE ART OF ORGANIZING"

Showering is an experience that has no parallel. The YISHELF[™] enhances that experience by organizing the shower space in a way that ordinary shelves can't. The recessed in wall design ensures that there are no sharp metal protrusions. The availability of sizes ranging from 6 inch widths to 72 inches, gives you the ability to dress up the shower while still preserving ample space for the essentials. The result is an exceptionally organized space that is as aesthetically pleasing as it is functional.

Blissful Showers

The YISHELF[™] organizes your shower area, while decluttering the space and creating a soothing environment.

THE FEATURES

- Available in 16 different sizes ranging from 8in to 72in
- Installation of the Y | SHELF[™] is a breeze as compared to frabricating a tiled niche.
- Hand crafted from 304 grade stainless steel
- Choose between Undermount & Flushmount
- Sloped bottom ensures proper drainage of water
- 3^{3/4}" depth fits the boldest shampoo bottles
- Integrated in-wall shelving solution
- Optional: Tile the back to create a minimalist look evocative of a custom stainless steel frame.

"Bold, subtle, sleek or minimal. And always stylish, neelnox has changed the way you shelve by introducing the Y | SHELF[™]."

ULTRA HYG[#]Easy To Clean. And Maintenence Free."

Water tends to stagnate along the base in tiled niches. Over time, this will gather mold and mildew. Stainless steel is easy to clean and resists bacteria and germs more effectively than ceramic and glass tile.

CLEAN

Series Origin

"ONE OF A KIND"





"It Takes Two...

...to Tango."

†A



Paring up the Y | SHELF^{**} creates an added dimension while giving you more storage space.

"When three is not a crowd"









Y-10B 12" x 12" Undermount







Y-12B 12" x 18" Undermount with lighting

There's something magical about light emanating from a concealed source. It has a calming, relaxing effect that unwinds the senses.





Y-10B 12" x 12" Undermount with tile back





"Sometimes...Less is More. & Sometimes... It Isn't."

Y-25P 72" x 18" Flushmount with tile back

1.000

Neelnox

1



















In an attempt to coalesce the sublime & the essential, the Y-28 installed on a simple black wall is as bold as it is minimal.




$\mathsf{Y} \mid \mathsf{SHELF}^{^{\scriptscriptstyle{\mathsf{T}}\!\!\!\!\mathsf{M}}}$



Y-1B


Outer(Installed) Inner Bottom Slope Finish* Material Profile 12" x 6" x 3^{3/4}" 10^{3/4}" x 4^{3/4}" 3/16" Brush SS 304 Grade Flushmount





Y-2B


Inner (Installed) Outer Bottom Slope Finish* Material Profile 12" x 6" x 3^{3/4}" 13^{1/4}" x 7^{1/4}" 3/16" Brush SS 304 Grade Undermount






Y-3B


Outer(Installed) Inner Bottom Slope Finish* Material Profile 18" x 6" x 3^{3/4}" 16^{3/4}" x 4^{3/4}" 3/16" Brush SS 304 Grade Flushmount





Y-4B

Inner (Installed) Outer Bottom Slope Finish* Material Profile 18" x 6" x 3^{3/4}" 19^{1/4}" x 7^{1/4}" 3/16" Brush SS 304 Grade Undermount




Neelnox



Y-5B

- Outer(Installed) Inner Bottom Slope Finish* Material Profile
- 6" x 6" x 3^{3/4}" 4^{3/4}" x 4^{3/4}" 3/16" Brush SS 304 Grade Flushmount






Y-6B


Inner (Installed)
Outer
Bottom Slope
Finish*
Material
Profile

6" x 6" x 3^{3/4}" 7^{1/4}" x 7^{1/4}" 3/16" Brush SS 304 Grade Undermount






$\mathsf{Y} \mid \mathsf{SHELF}^{^{\scriptscriptstyle{\mathsf{TM}}}}$



Neelnox






Outer(Installed) Inner Finish* Material Profile	60" x 12" x 3 ^{3/4} " 58 ^{3/4} " x 10 ^{3/4} " Brush SS 304 Grade Flushmount	Y-15B	
			10 ^{34*} 12″
₄		58 ³⁴⁺ 60"	<u></u> <u>↓</u> 5/8″→↓ ↓
Inner (Installed)	60" x 12" x 3 ^{3/4} "	Y-16B	

Inner (Installed)	60" x 12" x 3 ^{3/4} "
Outer	61 ^{1/4} " x 13 ^{1/4} "
Finish*	Brush
Material	SS 304 Grade
Profile	Undermount

(<u>000000000000000000000000000000000000</u>		<u>, , , , , , , , , , , , , , , , , , , </u>
0 0 0 0 0 0		
0		6 2 13
	- 60"	5/8″→
•	01	

Neelnox

		Y-17B	
Outer(Installed)	72" x 12" x 3 ^{3/4} "		
Inner	70 ^{3/4} " × 10 ^{3/4} "		
Finish*	Brush		
Material	SS 304 Grade		



Profile


Flushmount

han an (i Ii - Ii	70 10 03/4//	Y-18B	
Inner (Installed) Outer	/ Z X I Z X 3 ^{3/4} 73 ^{1/4} " x 13 ^{1/4} "		
Finish*			
Material	SS 304 Grade		
Profile	Undermount		
(0000000000000000000000000000000000000			
0 0 0 0 0			
0 0 0 0			
			5/8"
		72'	



Y-19B


Outer(Installed) Inner Bottom Slope Finish* Material Profile 12" x 18" x 3^{3/4}" 10^{3/4}" x 16^{3/4}" 3/16" Brush SS 304 Grade Flushmount






Y-20B

Inner (Installed) Outer Bottom Slope Finish* Material Profile 12" x 18" x 3^{3/4}" 13^{1/4}" x 19^{1/4}" 3/16" Brush SS 304 Grade Undermount




Neelnox



Y-21B

Outer(Installed) Inner Bottom Slope Finish* Material Profile 18" x 18" x 3^{3/4}" 16^{3/4}" x 16^{3/4}" 3/16" Brush SS 304 Grade Flushmount






Y-22B

Inner (Installed) Outer Bottom Slope Finish* Material Profile

18" x 18" x 3^{3/4}" 19^{1/4}" x 19^{1/4}" 3/16" Brush SS 304 Grade Undermount








Y-23B

Outer(Installed)	60" x 18" x 3 ^{3/4} "
Inner	58 ^{3/4} " x 16 ^{3/4} "
Finish*	Brush
Material	SS 304 Grade
Profile	Flushmount




Neelnox



Y-24B


Inner (Installed)	60" x 18" x 3 ^{3/4} "
Outer	61 ^{1/4} " x 19 ^{1/4} "
Finish*	Brush
Material	SS 304 Grade
Profile	Undermount





Y-25B

Outer(Installed)72" x 18" x 33/4"Inner703/4" x 163/4"Finish*BrushMaterialSS 304 GradeProfileFlushmount



Neelnox




Y-26B

Inner (Installed)	72" x 18" x 3 ^{3/4} " 73 ^{1/4} " x 19 ^{1/4} "
Outer	/3 ^{1/4} x 19 ^{1/4}
Finish*	Brush
Material	SS 304 Grade
Profile	Undermount

	<u>_</u> ▲
	₹
ů l	
ĬŎ	
lõl –	1 1
0118	8″ 19 ^{1/4″}
	1 1
0	
0	
	₩
(<u> </u>
	*
5/8″→) ◀-	-
72"	



Model	:	Y-27B
Outer(Installed)	:	12" x 42" x 3 ^{3/4} "
Inner	:	10 ^{3/4} " x 40 ^{3/4} "
Bottom Slope	:	3/16"
Finish*	:	Brush
Material	:	SS 304 Grade
Profile	:	Flushmount




Y-27B






Model	: Y-28B
Inner (Installed)	: 12" x 42" x 3 ^{3/4} "
Outer	: 13 ^{1/4} " x 43 ^{1/4} "
Bottom Slope	: 3/16"
Finish*	: Brush
Material	: SS 304 Grade
Profile	: Undermount




Y-28B






Y-29B

Outer(Installed)	42" x 18" x 3 ^{3/4} "
Inner	40 ^{3/4} " x 16 ^{3/4} "
Bottom Slope	3/16"
Finish*	Brush
Material	SS 304 Grade
Profile	Flushmount




Neelnox




Y-30B

Inner (Installed)	42" x 18" x 3 ^{3/4} "
Outer	43 ^{1/4} " x 19 ^{1/4} "
Bottom Slope	3/16"
Finish*	Brush
Material	SS 304 Grade
Profile	Undermount






Outer(Installed) Inner Bottom Slope Finish* Material Profile 18" x 42" x 3^{3/4}" 16^{3/4}" x 40^{3/4}" 3/16" Brush SS 304 Grade Flushmount




Y-31B

Neelnox



Y-32B

Inner (Installed) Outer Bottom Slope Finish* Material Profile 18" x 42" x 3^{3/4}" 19^{1/4}" x 43^{1/4}" 3/16" Brush SS 304 Grade Undermount



Series 100


50

F









Y-111P 30" × 9" × 5/8"



Model	Y-101P
Size	7" (W) × 5" (D) × 5/8" (H)
Slope	1/8"
Finish*	Polished
Material	SS 304 Grade
Hardware	Included, Concealed



Model Size Slope Finish* Material Hardware

Y-102P 7" (W) x 5" (D) x 1^{1/4}" (H) 1/8" Polished SS 304 Grade Included, Concealed

4

Model	Y-103P
Size	12" (W) x 5" (D) x 5/8" (H)
Slope	1/8"
Finish*	Polished
Material	SS 304 Grade
Hardware	Included, Concealed



Model	Y-104P
Size	12" (W) × 5" (D) × 1 ^{1/4} " (H)
Slope	1/8"
Finish*	Polished
Material	SS 304 Grade
Hardware	Included, Concealed



Model	Y-106P
Size	18" (W) × 5" (D) × 1 ^{1/4} " (H)
Slope	1/8"
Finish*	Polished
Material	SS 304 Grade
Hardware	Included, Concealed

Model	Y-105P
Size	18" (W) x 5" (D) x 5/8" (H)
Slope	1/8"
Finish*	Polished
Material	SS 304 Grade
Hardware	Included, Concealed

Model	Y-107P
Size	24" (W) \times 5" (D) \times 5/8" (H)
Slope	1/8"
Finish*	Polished
Material	SS 304 Grade
Hardware	Included, Concealed

ModelY-108PSize24" (W) x 5" (D) x $1^{1/4"}$ (H)Slope1/8"Finish*PolishedMaterialSS 304 GradeHardwareIncluded, Concealed

Neelnox

for the second s

ModelY-109PSize30" (W) x 6" (D) x 5/8" (H)Finish*PolishedMaterialSS 304 GradeHardwareIncluded, Concealed

Model	Y-110P
Size	30" (W) × 6" (D) × 1 ^{1/4} " (H)
Finish*	Polished
Material	SS 304 Grade
Hardware	Included, Concealed

V 4 4 0 D

Model	Y-111P
Size	30" (W) × 9" (D) × 5/8" (H)
Finish*	Polished
Material	SS 304 Grade
Hardware	Included, Concealed

ModelY-112PSize30" (W) × 9" (D) × 11/4" (H)Finish*PolishedMaterialSS 304 GradeHardwareIncluded, Concealed

$\mathsf{Y} \mid \mathsf{SHELF}^{^{\scriptscriptstyle{\mathsf{TM}}}}$

Model	Y-113P				
Size	36" (W) x 6" (D) x 5/8" (H)				
Finish*	Polished				
Material	SS 304 Grade				
Hardware	Included, Concealed				

Model	Y-114P
Size	36" (W) x 6" (D) x 1 ^{1/4} " (H)
Finish*	Polished
Material	SS 304 Grade
Hardware	Included, Concealed

Model	Y-115P				
Size	36" (W) x 9" (D) x 5/8" (H)				
Finish*	Polished				
Material	SS 304 Grade				
Hardware	Included, Concealed				

ModelY-116PSize36" (W) × 9" (D) ×11/4" (H)Finish*PolishedMaterialSS 304 GradeHardwareIncluded, Concealed

Neelnox

ModelY-117PSize42" (W) x 6" (D) x 5/8" (H)Finish*PolishedMaterialSS 304 GradeHardwareIncluded, Concealed

Model	Y-118P
Size	42" (W) × 6" (D) × 1 ^{1/4} " (H)
Finish*	Polished

Material SS 304 Grade

Hardware Included, Concealed

Model Y-119P Size 42" (W) x 9" (D) x 5/8" (H)

Size42(W) × 9(D) × 5/8(rFinish*PolishedMaterialSS 304 GradeHardwareIncluded, Concealed

ModelY-120PSize42" (W) x 9" (D) x 1^{1/4}" (H)Finish*PolishedMaterialSS 304 GradeHardwareIncluded, Concealed

ModelY-121PSize60" (W) x 6" (D) x 5/8" (H)Finish*PolishedMaterialSS 304 GradeHardwareIncluded, Concealed

Model	Y-122P
Size	60" (W) × 6" (D) × 1 ^{1/4} " (H)
Finish*	Polished
Material	SS 304 Grade
Hardware	Included, Concealed


Model Y-123P 60" (W) × 9" (D) × 5/8" (H) Size Polished Finish* SS 304 Grade Material Included, Concealed Hardware


ModelY-124PSize60" (W) x 9" (D) x 11/4" (H)Finish*PolishedMaterialSS 304 GradeHardwareIncluded, Concealed

Neelnox

Model	Finish	Width(W)	Depth(D)	Height(H)	Slope
Y-101P	Polished	7 "	5"	5/8"	1/8"
Y-101B	Brushed	7 "	5"	5/8"	1/8"
Y-102P	Polished	7 "	5"	1 ^{1/4} "	1/8"
Y-102B	Brushed	7 "	5"	1 ^{1/4} "	1/8"
Y-103P	Polished	12"	5"	5/8"	1/8"
Y-103B	Brushed	12"	5"	5/8"	1/8"
Y-104P	Polished	12"	5"	1 ^{1/4} "	1/8"
Y-104B	Brushed	12"	5"	11/4"	1/8"
Y-105P	Polished	18"	5"	5/8"	1/8"
Y-105B	Brushed	18"	5"	5/8"	1/8"
Y-106P	Polished	18"	5"	1 ^{1/4} "	1/8"
Y-106B	Brushed	18"	5"	11/4"	1/8"
Y-107P	Polished	24"	5"	5/8"	1/8"
Y-107B	Brushed	24"	5"	5/8"	1/8"
Y-108P	Polished	24"	5"	1 ^{1/4} "	1/8"
Y-108B	Brushed	24"	5"	1 ^{1/4} "	1/8"
Y-109P	Polished	30"	6"	5/8"	-
Y-109B	Brushed	30"	6"	5/8"	-
Y-110P	Polished	30"	6"	1 ^{1/4} "	-
Y-110B	Brushed	30"	6"	1 ^{1/4} "	-
Y-111P	Polished	30"	9"	5/8"	-
Y-111B	Brushed	30"	9"	5/8"	-
Y-112P	Polished	30"	9"	1 ^{1/4} "	-
Y-112B	Brushed	30"	9"	1 ^{1/4} "	-
Y-113P	Polished	36"	6"	5/8"	-
Y-113B	Brushed	36"	6"	5/8"	-
Y-114P	Polished	36"	6"	1 ^{1/4} "	-
Y-114B	Brushed	36"	6"	1 ^{1/4} "	-
Y-115P	Polished	36"	9"	5/8"	-
Y-115B	Brushed	36"	9"	5/8"	-
Y-116P	Polished	36"	9"	1 ^{1/4} "	-
Y-116B	Brushed	36"	9"	1 ^{1/4} "	-
Y-117P	Polished	42"	6"	5/8"	-
Y-117B	Brushed	42"	6"	5/8"	-
Y-118P	Polished	42"	6"	1 ^{1/4} "	-
Y-118B	Brushed	42"	6"	1 ^{1/4} "	-
Y-119P	Polished	42"	9"	5/8"	-
Y-119B	Brushed	42"	9"	5/8"	-
Y-120P	Polished	42"	9"	1 ^{1/4} "	-
Y-120B	Brushed	42"	9"	1 ^{1/4} "	-
Y-121P	Polished	60"	6"	5/8"	-
Y-121B	Brushed	60"	6"	5/8"	-
Y-122P	Polished	60"	6"	1 ^{1/4} "	-
Y-122B	Brushed	60"	6"	1 ^{1/4} "	-
Y-122D	Polished	60"	9"	5/8"	-
Y-123B	Brushed	60"	9"	5/8"	-
Y-124P	Polished	60"	9"	1 ^{1/4} "	-
Y-1241	Brushed	60"	7 9"	1 ^{1/4} "	-

Series 100 Drawing







Series 200

MIRROR




POLISHED TO PERFECTION




$\mathsf{Y} \mid \mathsf{SHELF}^{^{\scriptscriptstyle{\mathsf{T}\!\mathsf{M}}}}$

Model Size Thickness Slope Finish* Material Hardware	Y-201P 6" (W) × 4" (D) × 4" (H) 5/8" 1/8" Polished SS 304 Grade Included, Concealed
Model Size Thickness Slope Finish* Material Hardware	Y-202P 12" (W) × 4" (D) × 4" (H) 5/8" 1/8" Polished SS 304 Grade Included, Concealed
Model Size Thickness Slope Finish* Material Hardware	Y-203P 18" (W) × 4" (D) × 4" (H) 5/8" 1/8" Polished SS 304 Grade Included, Conceale
Model Size Thickness Slope Finish* Material Hardware	Y-204P 24" (W) × 4" (D) × 4" (H) 5/8" 1/8" Polished SS 304 Grade Included, Conceale



Neelnox

Series 200 Drawing



Model	Finish	Width(W)	Depth(D)	Height(H)	Thickness(T)
Y-201P	Polished	6"	4"	4"	5/8"
Y-201B	Brushed	6"	4"	4"	5/8"
Y-202P	Polished	12"	4"	4"	5/8"
Y-202B	Brushed	12"	4"	4"	5/8"
Y-203P	Polished	18"	4"	4"	5/8"
Y-203B	Brushed	18"	4"	4"	5/8"
Y-204P	Polished	24"	4"	4"	5/8"
Y-204B	Brushed	24"	4"	4"	5/8"

"When Corner...



Y-304P 9" x 9" Corner

is...Centerstage"





Model	Y-301P
Size	7.5" (D) x 7.5" (D) x 5/8" (H)
Slope	1/8"
Finish*	Polished
Material	SS 304 Grade
Hardware	Included, Concealed



Model	Y-302P
Size	7.5" (D) x 7.5" (D) x 1 ^{1/4} " (H)
Slope	1/8"
Finish*	Polished
Material	SS 304 Grade
Hardware	Included, Concealed





Model	Y-304P
Size	9" (D) × 9" (D) × 1 ^{1/4} " (H)
Slope	1/8"
Finish*	Polished
Material	SS 304 Grade
Hardware	Included, Concealed




Model	Y-305P
Size	$10^{3/4"}$ (D) x $10^{3/4"}$ (D) x $5/8"$ (H)
Slope	1/8"
Finish*	Polished
Material	SS 304 Grade
Hardware	Included, Concealed




Model	Y-306P
Size	$10^{3/4}$ " (W) x $10^{3/4}$ " (D) x $1^{1/4}$ " (H)
Slope	1/8"
Finish*	Polished
Material	SS 304 Grade
Hardware	Included, Concealed

Neelnox

Series 300 Drawing



Model	Finish	Depth(D)	Depth(D)	Height(H)
Y-301P	Polished	7.5"	7.5"	5/8"
Y-301B	Brushed	7.5"	7.5"	5/8"
Y-302P	Polished	7.5"	7.5"	1 ^{1/4} "
Y-302B	Brushed	7.5"	7.5"	1 ^{1/4} "
Y-303P	Polished	9"	9"	5/8"
Y-303B	Brushed	9"	9"	5/8"
Y-304P	Polished	9"	9"	1 ^{1/4} "
Y-304B	Brushed	9"	9"	1 ^{1/4} "
Y-305P	Polished	10 ^{3/4} "	10 ^{3/4} "	5/8"
Y-305B	Brushed	10 ^{3/4} "	10 ^{3/4} "	5/8"
Y-306P	Polished	10 ^{3/4} "	10 ^{3/4} "	1 ^{1/4} "
Y-306B	Brushed	10 ^{3/4} "	10 ^{3/4} "	1 ^{1/4} ″







U.S.A

10752 Deerwood Park Blvd S Waterview II, Ste # 100, Jacksonville, FL 32256 Tel. : 904 880 5557 Fax : 904 302 7757 Toll Free : 1-888-7-Neelnox(1-888-763-3566) E-mail : info@neelnoxmosaics.com

SPAIN

Plaza de la Solidaridad Planta 5, 29002 Málaga Tel: +34 951 94 19 35 Fax: +34 951 34 42 51 Email: info@neelnoxmosaics.com www.neelnoxmosaics.com Neelnox